

L Number	Hits	Search Text	DB	Time stamp
-	397	(modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)	USPAT; US-PGPUB	2003/09/29 16:32
-	255	((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 15:07
-	0	((((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821)) and 370.ccls.	USPAT; US-PGPUB	2003/09/29 15:06
-	33	((((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821)) and 370/\$.ccls.	USPAT; US-PGPUB	2003/09/29 15:11
-	0	((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) same (transport) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 16:32
-	2	((((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821)) and 725/\$.ccls.	USPAT; US-PGPUB	2003/09/29 15:12
-	32	((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821) and 375/\$.ccls.	USPAT; US-PGPUB	2003/09/29 15:15
-	11	((((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821)) and 348/\$.ccls.	USPAT; US-PGPUB	2003/09/29 15:16
-	5	((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (@ad<=19980821 @rlad<=19980821) and 709/\$.ccls.	USPAT; US-PGPUB	2003/09/29 15:16
-	38	modif\$4 with (flow rate) with transmi\$6 with (configuration characteristic)	USPAT; US-PGPUB	2003/09/29 16:29
-	56	(modif\$4 with (flow rate) with (configuration characteristic)) same transmi\$7	USPAT; US-PGPUB	2003/09/29 15:35
-	42	((modif\$4 with (flow rate) with (configuration characteristic)) same transmi\$7) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 15:37
-	0	(modif\$4 with (flow rate) with transmi\$6 with (configuration characteristic)) same (transport near3 medium)	USPAT; US-PGPUB	2003/09/29 16:30
-	0	(modif\$4 with (flow rate) with transmi\$6 with (configuration characteristic)) and (transport near3 medium)	USPAT; US-PGPUB	2003/09/29 16:30
-	1	(modif\$4 same (flow rate) same transmi\$6 same (configuration characteristic)) and (transport near3 medium)	USPAT; US-PGPUB	2003/09/29 16:31
-	0	(modif\$4 same (flow rate) same transmi\$6 same (configuration characteristic)) and (transport near3 medium)	EPO; JPO; DERWENT	2003/09/29 16:33
-	11	((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (transport near3 medium)	USPAT; US-PGPUB	2003/09/29 16:32
-	0	((((modif\$4 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic)) and (transport near3 medium)) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 16:34
-	0	(chang\$3 same (flow rate) same transmi\$6 same (configuration characteristic)) and (transport near3 medium)	EPO; JPO; DERWENT	2003/09/29 16:33
-	0	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic)) and (transport near3 medium)	EPO; JPO; DERWENT	2003/09/29 16:34
-	374	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic))	EPO; JPO; DERWENT	2003/09/29 16:34
-	2	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic))) and transport	EPO; JPO; DERWENT	2003/09/29 16:34
-	3707	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 16:37
-	7	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic))) and (@ad<=19980821 @rlad<=19980821) and (transport near3 medium media))	USPAT; US-PGPUB	2003/09/29 16:38
-	444	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6) and (transport near3 (media medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/29 16:45

-	159	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6) and (transport near3 (media medium))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 16:46
-	66	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6) and (transport near3 (media medium))) and (@ad<=19980821 @rlad<=19980821)) and (725/\$.ccls. 709/\$.ccls. 375/\$.ccls. 370/\$.ccls.)	USPAT; US-PGPUB	2003/09/29 16:39
-	57	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic\$1)) and (transport near3 (media medium))	USPAT; US-PGPUB	2003/09/29 16:47
-	16	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic\$1)) and (transport near3 (media medium))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 16:47
-	796	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic\$1)) and transport	USPAT; US-PGPUB	2003/09/29 16:48
-	461	((adjust\$5 modify\$3 chang\$3) same (flow rate) same transmi\$6 same (configuration characteristic\$1)) and transport) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 16:48
-	103	((adjust\$5 modify\$3 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic\$1)) and transport	USPAT; US-PGPUB	2003/09/29 17:28
-	62	((adjust\$5 modify\$3 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic\$1)) and transport) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:31
-	107	((adjust\$5 modify\$3 chang\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (transport near3 (medium media))	USPAT; US-PGPUB	2003/09/29 17:34
-	62	((adjust\$5 modify\$3 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic\$1)) and transport) and (@ad<=19980821 @rlad<=19980821)) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:35
-	16	((adjust\$5 modify\$3 chang\$3) with (flow rate) with transmi\$6 with (configuration characteristic\$1)) and transport) and (@ad<=19980821 @rlad<=19980821)) and (@ad<=19980821 @rlad<=19980821)) and transmitter\$1	USPAT; US-PGPUB	2003/09/29 17:32
-	55	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (transport near3 (medium media))	USPAT; US-PGPUB	2003/09/29 17:37
-	31	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (transport near3 (medium media))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:38
-	101	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6) and (transport near3 (medium media))	USPAT; US-PGPUB	2003/09/29 17:42
-	42	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6) and (transport near3 (medium media))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:48
-	38	((adjust\$5 modify\$3) same (flow rate configuration characteristic\$1) same transmi\$6 same encod\$3) and (transport near3 (medium media))	USPAT; US-PGPUB	2003/09/29 17:42
-	15	((adjust\$5 modify\$3) same (flow rate configuration characteristic\$1) same transmi\$6 same encod\$3) and (transport near3 (medium media))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:45
-	2	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6) and (transport near3 (medium media))	EPO; JPO; DERWENT	2003/09/29 17:43
-	3471	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6)	EPO; JPO; DERWENT	2003/09/29 17:48
-	9	(adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with (transmitter\$1 near2 (multiple second plurality two))	EPO; JPO; DERWENT	2003/09/29 17:54
-	46	(adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with (transmitter\$1 near2 (multiple second plurality two))	USPAT; US-PGPUB	2003/09/29 17:47
-	34	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with (transmitter\$1 near2 (multiple second plurality two))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:45

-	3471	(adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6	EPO; JPO; DERWENT	2003/09/29 17:48
-	0	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6) and (@ad<=19980821 @rlad<=19980821) and (transport near3 (media medium))	USPAT; US-PGPUB	2003/09/29 17:55
-	0	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6) and (@ad<=19980821 @rlad<=19980821) and (media medium)	USPAT; US-PGPUB	2003/09/29 17:49
-	0	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with transmi\$6) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 17:49
-	31	(adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with (transport near3 (media medium))	USPAT; US-PGPUB	2003/09/29 17:56
-	19	((adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) with (transport near3 (media medium))) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 18:01
-	4334	(adjust\$5 modify\$3) with (flow rate configuration characteristic\$1) near3 transmi\$6	USPAT; US-PGPUB	2003/09/29 17:56
-	4334	(adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)	USPAT; US-PGPUB	2003/09/29 17:57
-	0	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) same (transport near3 (medium media))	USPAT; US-PGPUB	2003/09/29 17:57
-	55	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (transport near3 (medium media))	USPAT; US-PGPUB	2003/09/29 17:57
-	2896	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)	USPAT; US-PGPUB	2003/09/29 18:01
-	47	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)) and 330/\$.ccls.	USPAT; US-PGPUB	2003/09/29 18:02
-	506	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)) and 370/\$.ccls.	USPAT; US-PGPUB	2003/09/29 18:07
-	17	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)) and 370/229.ccls.	USPAT; US-PGPUB	2003/09/29 18:09
-	22	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)) and 370/230.ccls.	USPAT; US-PGPUB	2003/09/29 18:14
-	42	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)) and 370/465.ccls.	USPAT; US-PGPUB	2003/09/29 18:22
-	70	((adjust\$5 modify\$3) with ((flow rate configuration characteristic\$1) near3 transmi\$6)) and (@ad<=19980821 @rlad<=19980821)) and 370/468.ccls.	USPAT; US-PGPUB	2003/09/29 18:22